



# Labels and Packaging Materials Color Laser & Inkjet Product and Printer Guide

This matrix is a composite of Labels and Packaging Materials experience and/or knowledge of listed printers.

Manufacturer	Model	Speed	Technology	Product Recommendations	Notes
Afinia	L Series 801	12 IPS	Inkjet – Dye Base Inks (CMYK)	Fasson® DemandJet™ 500HG/S2501/40#SCK – Spec# 53110 Fasson® DemandJet™ 500HG/AT20/40#SCK – Spec# 53109 Fasson® DemandJet™ 500HG/R195/40#SCK – Spec# 53684 Fasson® DemandJet™ 500HG FasCover™/S2501/40#SCK – Spec# 53966 Fasson® DemandJet™ 300SG/S2501 / 41#LF – Spec# 53726 Premium Matte Inkjet/S2501/41# LF – Spec# 53708 Premium Matte Inkjet/AT20/40# SCK – Spec# 54049 Premium Matte Inkjet/S246/40# SCK – Spec# 54058 Standard Matte WBIJ Paper/S2501/41#LF – Spec# 54060 Glossy White WBIJ BOPP/S7000/40#BG – Spec# 79659 Glossy Clear WBIJ BOPP/S7000/40#BG – Spec# 79668 Glossy Clear WBIJ BOPP/S7000/1.2M PET – Spec# 79677 3 Mil Matte White Synthetic Paper IJ/S8001/50#SCK – Spec# 79404 2 Mil Matte White Polyester IJ/S8001/50#SCK – Spec# 79119 3.2 Mil White Inkjet Vinyl/S730/50#SCK ABC – Spec# 79330	Print engine uses Memjet Technology
Astro Machine M-1	Astrojet M-1	12 IPS	Inkjet – Dye Base Inks (CMYK)	Fasson® DemandJet™ 500HG/S2501/40#SCK – Spec# 53110 Fasson® DemandJet™ 500HG/AT20/40#SCK – Spec# 53109 Fasson® DemandJet™ 500HG/R195/40#SCK – Spec# 53684 Fasson® DemandJet™ 500HG FasCover™/S2501/40#SCK – Spec# 53966 Fasson® DemandJet™ 300SG/S2501 / 41#LF – Spec# 53726 Premium Matte Inkjet/S2501/41# LF – Spec# 53708 Premium Matte Inkjet/AT20/40# SCK – Spec# 54049 Premium Matte Inkjet/S246/40# SCK – Spec# 54058 Standard Matte WBIJ Paper/S2501/41#LF – Spec# 54060 Glossy White WBIJ BOPP/S7000/40#BG – Spec# 79659 Glossy Clear WBIJ BOPP/S7000/40#BG – Spec# 79668 Glossy Clear WBIJ BOPP/S7000/1.2M PET – Spec# 79677 3 Mil Matte White Synthetic Paper IJ/S8001/50#SCK – Spec# 79404 2 Mil Matte White Polyester IJ/S8001/50#SCK – Spec# 79119 3.2 Mil White Inkjet Vinyl/S730/50#SCK ABC – Spec# 79330 Envelopes, single sheets, card stock, business cards	Print engine uses Memjet Technology

NOTE: The furnishing of such information and comparisons is for reference purposes only and does not constitute a warranty of any kind. Actual product performance should always be tested for fitness-for-use related to print quality including graphics and text, smudge resistance and water fastness. Media and OEM development is subject to change.

Manufacturer	Model	Speed	Technology	Product Recommendations	Notes
Colordyne	C-1600	12 IPS	Inkjet- Dye Base Inks (CMYK)	Fasson® DemandJet™ 500HG/S2501/40#SCK – Spec# 53110 Fasson® DemandJet™ 500HG/AT20/40#SCK – Spec# 53109 Fasson® DemandJet™ 500HG/R195/40#SCK – Spec# 53684 Fasson® DemandJet™ 500HG FasCover™/S2501/40#SCK – Spec# 53966	Print engine uses Memjet Technology
Colordyne	C-2600	60 ft/min	Inkjet- Dye Base Inks (CMYK)	Fasson® DemandJet™ 300SG/S2501/41#LF – Spec# 53726 Premium Matte Inkjet/S2501/41# LF – Spec# 53708 Premium Matte Inkjet/AT20/40# SCK – Spec# 54049 Premium Matte Inkjet/S246/40# SCK – Spec# 54058 Standard Matte WBIJ Paper/S2501/41#LF – Spec# 54060 Glossy White WBIJ BOPP/S7000/40#BG – Spec# 79659 Glossy Clear WBIJ BOPP/S7000/40#BG – Spec# 79668 Glossy Clear WBIJ BOPP/S7000/1.2M PET – Spec# 79677	
Colordyne	C-3600 Series Sprint	Up to 225 ft/min	Inkjet- Dye Base Inks (CMYK) + 1 spot	3 Mil Matte White Synthetic Paper IJ/S8001/50#SCK – Spec# 79404 2 Mil Matte White Polyester IJ/S8001/50#SCK – Spec# 79119 3.2 Mil White Inkjet Vinyl/S730/50#SCK ABC – Spec# 79330	
Colordyne	C- 3600 Series Retrofit	275 ft/min	Inkjet- Dye Base Inks (CMYK) + 1 spot		
Epson	SurePress L-4033A SurePress L-4033Aw	Up to 16.4 feet per minute at 720×720 dpi (on paper)	Inkjet- Latex Ink Black, Matte Black, Cyan, Magenta, Yellow, Orange, Green, Over print liquid, Moisture liquid	Pre-treatment of substrates is not necessary. • Epson SurePress AQ ink is water-based Latex and has good adhesion on a wide variety of standard label substrates	Note: The SurePress L- 4033AW includes White Ink
Epson	Color Works™ 3400 Roll Fed	3.7 IPS	Inkjet- Pigment Base Inks (CMY)	Fasson® DemandJet™ 500HG/S2501/40#SCK – Spec# 53110 Fasson® DemandJet™ 500HG/AT20/40#SCK – Spec# 53109 Fasson® DemandJet™ 500HG/R195/40#SCK – Spec# 53684 Fasson® DemandJet™ 500HG FasCover™/S2501/40#SCK – Spec# 53966 Premium Matte Inkjet/S2501/41# LF – Spec# 53708 Premium Matte Inkjet/AT20/40# SCK – Spec# 54049 Premium Matte Inkjet/S246/40# SCK – Spec# 54058 Standard Matte WBIJ Paper/S2501/41#LF – Spec# 54060 *5 Mil Matte White Inkjet Drum Label/S4600/50#SCK – Spec# 79348	*Approved for BS 5609 Section 3 when printed with Epson Durabrite™ Inks.

Manufacturer	Model	Speed	Technology	Product Recommendations	Notes
Epson	TM 3500 Full Color	3.7 IPS	Inkjet- Pigment Base Inks (CMYK)	<p>Fasson® DemandJet™ 500HG/S2501/40#SCK – Spec# 53110  Fasson® DemandJet™ 500HG/AT20/40#SCK – Spec# 53109  Fasson® DemandJet™ 500HG/R195/40#SCK – Spec# 53684  Fasson® DemandJet™ 500HG FasCover™/S2501/40#SCK – Spec# 53966  Premium Matte Inkjet/S2501/41# LF – Spec# 53708  Premium Matte Inkjet/AT20/40# SCK – Spec# 54049  Premium Matte Inkjet/S246/40# SCK – Spec# 53708  Standard Matte WBIJ Paper/S2501/41#LF – Spec# 54060  *5 Mil Matte White Inkjet Drum Label/S4600/50#SCK – Spec# 79348  Fasson® Matte White InkJet Medical Film/P902/40#SCK – Spec# 79032</p>	*Approved for BS 5609 Section 3 when printed with Epson Durabrite™ Inks.
Epson	Color Works C-831	16.5 PPM	Inkjet- Pigment Base Inks (CMYK)	<p>Premium Matte Inkjet/S2501/41# LF – Spec# 53708  Premium Matte Inkjet/AT20/40# SCK – Spec# 54049  Premium Matte Inkjet/S246/40# SCK – Spec# 53708  Standard Matte WBIJ Paper/S2501/41#LF – Spec# 54060  *5 Mil Matte White Inkjet Drum Label/S4600/50#SCK – Spec# 79348</p>	*Approved for BS 5609 Section 3 when printed with Epson Durabrite™ Inks.
Epson	ColorWorks C-7500	11.8 IPS	Inkjet- Pigment Base Inks (CMYK)	<p>Premium Matte Inkjet/S2501/41# LF – Spec# 53708  Premium Matte Inkjet/AT20/40# SCK – Spec# 54049  Premium Matte Inkjet/S246/40# SCK – Spec# 53708  Standard Matte WBIJ Paper/S2501/41#LF – Spec# 54060  **5M MAT WH IJ DL/S8001/50#SCK – Spec# 79673  Fasson® 60# Classic® Linen WS FSC® /S100R/44#PK – Spec# 12571  Fasson® 60# Estate Label® #4 WS FSC®/S100R/44#PK – Spec# 01533  Fasson® 50# Natural Label™/AT20/40#SCK – Spec# 16328</p>	** Approved for UL® 969 Dry Indoor applications when printed using Epson Durabrite™ Inks.

Manufacturer	Model	Speed	Technology	Product Recommendations	Notes
Epson	ColorWorks C-7500G	11.8 IPS	Inkjet- Pigment Base Inks (CMYK)	Premium Matte Inkjet/S2501/41# LF – Spec# 53708 Premium Matte Inkjet/AT20/40# SCK – Spec# 54049 Premium Matte Inkjet/S246/40# SCK – Spec# 53708 Standard Matte WBIJ Paper/S2501/41#LF – Spec# 54060 Fasson® 60# Classic® Linen WS FSC® /S100R/44#PK – Spec# 12571 Fasson® 60# Estate Label® #4 WS FSC®/S100R/44#PK – Spec# 01533 Fasson® 50# Natural Label™/AT20/40#SCK – Spec# 16328 Fasson® Glossy White WBIJ BOPP/S7000/40#BG – Spec# 79659 Fasson® Glossy Clear WBIJ BOPP/S7000/40#BG – Spec# 79668 Fasson® Glossy Clear WBIJ BOPP/S7000/1.2M PET – Spec# 79677	Epson Introducing RIP system to enhance color control in 2016-2017
Formax	ColorMaxLP	12 IPS	Inkjet- Dye Base Inks (CMYK)	Fasson® DemandJet™ 500HG/S2501/40#SCK – Spec# 53110 Fasson® DemandJet™ 500HG/AT20/40#SCK – Spec# 53109 Fasson® DemandJet™ 500HG/R195/40#SCK – Spec# 53684 Fasson® DemandJet™ 500HG FasCover™/S2501/40#SCK – Spec# 53966 Fasson® DemandJet™ 300SG/S2501 / 41#LF – Spec# 53726 Premium Matte Inkjet/S2501/41# LF – Spec# 53708 Premium Matte Inkjet/AT20/40# SCK – Spec# 54049 Premium Matte Inkjet/S246/40# SCK – Spec# 54058 Standard Matte WBIJ Paper/S2501/41#LF – Spec# 54060 Glossy White WBIJ BOPP/S7000/40#BG – Spec# 79659 Glossy Clear WBIJ BOPP/S7000/40#BG – Spec# 79668 Glossy Clear WBIJ BOPP/S7000/1.2M PET – Spec# 79677	Print engine uses Memjet Technology
IPT Digital	JFlex870 & JFlex1700	55 in/sec (275 ft/min) or up to 500ft/min at reduced resolution	Inkjet Dye Base CMYK Plus 1 Spot	3 Mil Matte White Synthetic Paper IJ/S8001/50#SCK – Spec# 79404 2 Mil Matte White Polyester IJ/S8001/50#SCK – Spec# 79119 3.2 Mil White Inkjet Vinyl/S730/50#SCK ABC – Spec# 79330	Print engine uses Memjet Technology NOTE: Print head is integrated on a Flexographic Press

NOTE: The furnishing of such information and comparisons is for reference purposes only and does not constitute a warranty of any kind. Actual product performance should always be tested for fitness-for-use related to print quality including graphics and text, smudge resistance and water fastness. Media and OEM development is subject to change.

Manufacturer	Model	Speed	Technology	Product Recommendations	Notes
iSys Label	Apex 1290	Continu- ous30 FPM Cut Sheet 36 ppm	Color Laser HPR / Fuser	Fasson® Estate Label® #9/S100R/44#PK – Spec# 11301 Fasson® 60# Estate Label #8 WS FSC®/S100R/44#PK – Spec# 02394 Fasson® 60# Estate Label® #4 WS FSC®/S100R/1.2 Mil PET – Spec# 19639 Fasson® 70# Eggshell Felt WS/S100R-B/44#PK – Spec# 19203 Fasson® 70# Uncoated Royal White WS/S100R-B*/1.2M PET – Spec# 53243 Fasson® 70# Bright White WS/S100R-B/44#PK – Spec# 19917 Fasson® 60# Classic Crest® Solar White WS FSC®/S100R/1.2 Mil PET – Spec# 19657 Fasson® 60# Classic® Linen WS FSC® /S100R/44#PK – Spec# 12571 Fasson® 128# Birch Wood/AT20N/1.2 Mil Polyester – Spec# 53662 Fasson® 119# Cherry Wood/AT20N/1.2 Mil Polyester – Spec# 53605 Fasson® 60# Uncoated Paper WS/AT20N/1.2 mil PET – Spec# 19993 Fasson® LaserCopy™ Jet 300/S9010N/46#LF – Spec# 18884 Fasson® Rapid-Roll® 10 Pt. C1S Carolina® - 94 Bright – Spec# 19236 Fasson® Laser Code™ Drum Label TC/S4600/79#MF – Spec# 78037	Okidata print Engine
iSys Label	Edge 850	30 FPM	Color Laser HPR / Fuser	Fasson® LaserCopy™ Jet 300/S9010N/46#LF – Spec# 18884 Fasson® 60# Uncoated Paper WS/AT20N/1.2 mil PET – Spec# 19993 Fasson® Rapid-Roll® 10 Pt. C1S Carolina® - 94 Bright – Spec# 19236 Fasson® Estate Label® #9/S100R/44#PK – Spec# 11301 Fasson® 60# Estate Label #8 WS FSC®/S100R/44#PK – Spec# 02394 Fasson® 60# Estate Label® #4 WS FSC®/S100R/1.2 Mil PET – Spec# 19639 Fasson® 70# Eggshell Felt WS/S100R-B/44#PK – Spec# 19203 Fasson® 70# Uncoated Royal White WS/S100R-B*/1.2M PET – Spec# 53243 Fasson® 70# Bright White WS/S100R-B/44#PK – Spec# 19917 Fasson® 60# Classic Crest® Solar White WS FSC®/S100R/1.2 Mil PET – Spec# 19657 Fasson® 60# Classic® Linen WS FSC® /S100R/44#PK – Spec# 12571	Okidata print Engine
Lexmark	C-792E	47 PPM	Color Laser (CMYK)	Fasson® Laser Code™ Drum Label TC/S4600/79#MF – Spec# 78037	Approved for BS 5609 Section 2 & 3

Manufacturer	Model	Speed	Technology	Product Recommendations	Notes
Mark Andy	Digital + 3600	275 ft/min	Inkjet- Dye Base Inks (CMYK) + 1 spot	Fasson® DemandJet™ 500HG/S2501/40#SCK – Spec# 53110 Fasson® DemandJet™ 500HG/AT20/40#SCK – Spec# 53109 Fasson® DemandJet™ 500HG/R195/40#SCK – Spec# 53684 Fasson® DemandJet™ 500HG FasCover™/S2501/40#SCK – Spec# 53966 Fasson® DemandJet™ 300SG/S2501/41#LF – Spec# 53726 Premium Matte Inkjet/S2501/41# LF – Spec# 53708 Premium Matte Inkjet/AT20/40# SCK – Spec# 54049 Premium Matte Inkjet/S246/40# SCK – Spec# 54058 Standard Matte WBIJ Paper/S2501/41#LF – Spec# 54060 Glossy White WBIJ BOPP/S7000/40#BG – Spec# 79659 Glossy Clear WBIJ BOPP/S7000/40#BG – Spec# 79668 Glossy Clear WBIJ BOPP/S7000/1.2M PET – Spec# 79677 3 Mil Matte White Synthetic Paper IJ/S8001/50#SCK – Spec# 79404 2 Mil Matte White Polyester IJ/S8001/50#SCK – Spec# 79119 3.2 Mil White Inkjet Vinyl/S730/50#SCK ABC – Spec# 79330	Powered by Memjet Technology
NeuraLabel	300X	20 IPS	Inkjet- Pigment Base Inks (CMYK)	Fasson® DemandJet™ 500HG/S2501/40#SCK – Spec# 53110 Fasson® DemandJet™ 500HG/AT20/40#SCK – Spec# 53109 Fasson® DemandJet™ 500HG/R195/40#SCK – Spec# 53684 Fasson® DemandJet™ 500HG FasCover™/S2501/40#SCK – Spec# 53966 3.2 Mil White Inkjet Vinyl/S730/50#SCK ABC – Spec# 79330 Premium Matte Inkjet/S2501/41# LF – Spec# 53708 *5 Mil Matte White Inkjet Drum Label/S4600/50#SCK – Spec# 79348 Glossy White WBIJ BOPP/S7000/40#BG – Spec# 79659 3 Mil Matte White Synthetic Paper IJ/S8001/50#SCK – Spec# 79404 3.2 Mil White Inkjet Vinyl/S730/50#SCK ABC – Spec# 79330	* Approved for BS 5609 Section 2 & 3 Continuous Drum Labels Cut Sheet Drum Labels
NeuraLabel	500e	11 IPS	Color Laser (CMYK)	*Fasson® Laser Code™ Drum Label TC/S4600/79#MF – Spec# 78037	* Approved for BS 5609 Section 2 & 3

Manufacturer	Model	Speed	Technology	Product Recommendations	Notes
Primera	LX 500	N/A	Inkjet- Dye Base CMY)	<p>Fasson® DemandJet™ 500HG/S2501/40#SCK – Spec# 53110  Fasson® DemandJet™ 500HG/AT20/40#SCK – Spec# 53109  Fasson® DemandJet™ 500HG/R195/40#SCK – Spec# 53684  Fasson® DemandJet™ 500HG FasCover™/S2501/40#SCK – Spec# 53966  Fasson® DemandJet™ 300SG/S2501 / 41#LF – Spec# 53726  Premium Matte Inkjet/S2501/41# LF – Spec# 53708  Premium Matte Inkjet/AT20/40# SCK – Spec# 54049  Premium Matte Inkjet/S246/40# SCK – Spec# 54058  Standard Matte WBIJ Paper/S2501/41#LF – Spec# 54060  Glossy White WBIJ BOPP/S7000/40#BG – Spec# 79659  Glossy Clear WBIJ BOPP/S7000/40#BG – Spec# 79668  Glossy Clear WBIJ BOPP/S7000/1.2M PET – Spec# 79677  3 Mil Matte White Synthetic Paper IJ/S8001/50#SCK – Spec# 79404  2 Mil Matte White Polyester IJ/S8001/50#SCK – Spec# 79119  3.2 Mil White Inkjet Vinyl/S730/50#SCK ABC – Spec# 79330</p>	Speed dependent on Print Quality selection
Primera	LX-900 Roll Fed	4.5 IPS	* Inkjet- Dye Base CMYK	<p>Premium Matte Inkjet/S2501/41# LF – Spec# 53708  Premium Matte Inkjet/AT20/40# SCK – Spec# 54049  Premium Matte Inkjet/S246/40# SCK – Spec# 54058  Standard Matte WBIJ Paper/S2501/41#LF – Spec# 54060  Glossy White WBIJ BOPP/S7000/40#BG – Spec# 79659  Glossy Clear WBIJ BOPP/S7000/40#BG – Spec# 79668  Glossy Clear WBIJ BOPP/S7000/1.2M PET – Spec# 79677  3 Mil Matte White Synthetic Paper IJ/S8001/50#SCK – Spec# 79404  2 Mil Matte White Polyester IJ/S8001/50#SCK – Spec# 79119  3.2 Mil White Inkjet Vinyl/S730/50#SCK ABC – Spec# 79330</p>	*All products tested with dye base ink sets.
Primera	LX-2000 Roll Fed	6 IPS	Inkjet- Pigment Base CMYK	<p>Premium Matte Inkjet/S2501/41# LF – Spec# 53708  Premium Matte Inkjet/AT20/40# SCK – Spec# 54049  Premium Matte Inkjet/S246/40# SCK – Spec# 54058  Standard Matte WBIJ Paper/S2501/41#LF – Spec# 54060  Glossy White WBIJ BOPP/S7000/40#BG – Spec# 79659  Glossy Clear WBIJ BOPP/S7000/40#BG – Spec# 79668  Glossy Clear WBIJ BOPP/S7000/1.2M PET – Spec# 79677  5M MAT WH IJ DL/S8001/50#SCK – Spec# 79673</p>	Note: Common dry time issues with black on some glossy facestocks

NOTE: The furnishing of such information and comparisons is for reference purposes only and does not constitute a warranty of any kind. Actual product performance should always be tested for fitness-for-use related to print quality including graphics and text, smudge resistance and water fastness. Media and OEM development is subject to change.

Manufacturer	Model	Speed	Technology	Product Recommendations	Notes
Primera	CX1200 Roll Fed	16.25 FPM	Color Laser HPR / Fuser	*Fasson® Laser Code™ Drum Label TC/S4600/79#MF – Spec# 78037 Fasson® Standard Laser-Rite™/LP430/50#MF – Spec# 02962 Fasson® Premium Matte Laser/S2501/46#LF – Spec# 17623 Fasson® LaserCopy™ Jet 300/S9010N/46#LF – Spec# 18884 Fasson® 1 Mil Clear Polyester TC/S730/1 Mil Polyester – Spec# 77855 2 Mil Clear Polyester TC/S8025/50#SCK – Spec# 77921 Fasson® 2 Mil White Polyester TC/S8025/50#SCK – Spec# 77920	* Approved for BS 5609 Section 2 & 3
Rapid Label Systems	Rapid X-1	12 IPS	Inkjet- Dye Base Inks (CMYK)	Fasson® DemandJet™ 500HG/S2501/40#SCK – Spec# 53110 Fasson® DemandJet™ 500HG/AT20/40#SCK – Spec# 53109 Fasson® DemandJet™ 500HG/R195/40#SCK – Spec# 53684 Fasson® DemandJet™ 500HG FasCover™/S2501/40#SCK – Spec# 53966 Fasson® DemandJet™ 300SG/S2501 / 41#LF – Spec# 53726 Premium Matte Inkjet/S2501/41# LF – Spec# 53708 Premium Matte Inkjet/AT20/40# SCK – Spec# 54049 Premium Matte Inkjet/S246/40# SCK – Spec# 54058 Standard Matte WBIJ Paper/S2501/41#LF – Spec# 54060 Glossy White WBIJ BOPP/S7000/40#BG – Spec# 79659 Glossy Clear WBIJ BOPP/S7000/40#BG – Spec# 79668 Glossy Clear WBIJ BOPP/S7000/1.2M PET – Spec# 79677 3 Mil Matte White Synthetic Paper IJ/S8001/50#SCK – Spec# 79404 2 Mil Matte White Polyester IJ/S8001/50#SCK – Spec# 79119 3.2 Mil White Inkjet Vinyl/S730/50#SCK ABC – Spec# 79330	Print engine uses Memjet Technology
Reprographics Technology Digital	Vortex 850 R	12 IPS	Inkjet- Dye Base Inks (CMYK)	Glossy White WBIJ BOPP/S7000/40#BG – Spec# 79659 Fasson® DemandJet™ 300SG/S2501/41#LF – Spec# 53726 Fasson® DemandJet™ 500HG/S2501/40#SCK – Spec# 53110 Fasson® Gloss Inkjet Paper/AT20/40#SCK – Spec# 53109 Premium Matte Inkjet/S2501/41# LF – Spec# 53708	Print engine uses Memjet Technology Replaced the OWN X SpeedStar
Swiftcolor	SCL 4000D	7.9 IPS	Inkjet- Dye Base Inks (CMYK)	Glossy White WBIJ BOPP/S7000/40#BG – Spec# 79659 Fasson® DemandJet™ 300SG/S2501/41#LF – Spec# 53726 Fasson® DemandJet™ 500HG/S2501/40#SCK – Spec# 53110 Fasson® Gloss Inkjet Paper/AT20/40#SCK – Spec# 53109 Premium Matte Inkjet/S2501/41# LF – Spec# 53708	
Swiftcolor	SCL 4000P	7.9 IPS	Inkjet- Pigment Base Inks (CMYK)		

NOTE: The furnishing of such information and comparisons is for reference purposes only and does not constitute a warranty of any kind. Actual product performance should always be tested for fitness-for-use related to print quality including graphics and text, smudge resistance and water fastness. Media and OEM development is subject to change.



Manufacturer	Model	Speed	Technology	Product Recommendations	Notes
Trojanlabel	Trojan One	12 IPS	5 color (CMYKK)	Fasson® DemandJet™ 500HG/S2501/40#SCK – Spec# 53110 Fasson® DemandJet™ 500HG/AT20/40#SCK – Spec# 53109 Fasson® DemandJet™ 500HG/R195/40#SCK – Spec# 53684 Fasson® DemandJet™ 500HG FasCover™/S2501/40#SCK – Spec# 53966 Fasson® DemandJet™ 300SG/S2501 / 41#LF – Spec# 53726 Premium Matte Inkjet/S2501/41# LF – Spec# 53708 Premium Matte Inkjet/AT20/40# SCK – Spec# 54049 Premium Matte Inkjet/S246/40# SCK – Spec# 54058 Standard Matte WBIJ Paper/S2501/41#LF – Spec# 54060 Glossy White WBIJ BOPP/S7000/40#BG – Spec# 79659 Glossy Clear WBIJ BOPP/S7000/40#BG – Spec# 79668 Glossy Clear WBIJ BOPP/S7000/1.2M PET – Spec# 79677 3 Mil Matte White Synthetic Paper IJ/S8001/50#SCK – Spec# 79404 2 Mil Matte White Polyester IJ/S8001/50#SCK – Spec# 79119 3.2 Mil White Inkjet Vinyl/S730/50#SCK ABC – Spec# 79330	Print engine uses Memjet Technology
Trojanlabel	Trojan Two	60 FPM	Four 2-Liter ink tanks (CMYK)	Fasson® DemandJet™ 500HG/S2501/40#SCK – Spec# 53110 Fasson® DemandJet™ 500HG/AT20/40#SCK – Spec# 53109 Premium Matte Inkjet/S2501/41# LF – Spec# 53708	Print engine uses Memjet Technology
VIP Color	VP 700	12 IPS	Inkjet – Dye Base Inks Color (CMYKK)	Fasson® DemandJet™ 500HG/S2501/40#SCK – Spec# 53110 Fasson® DemandJet™ 500HG/AT20/40#SCK – Spec# 53109 Premium Matte Inkjet/S2501/41# LF – Spec# 53708	Print engine uses Memjet Technology

NOTE: The furnishing of such information and comparisons is for reference purposes only and does not constitute a warranty of any kind. Actual product performance should always be tested for fitness-for-use related to print quality including graphics and text, smudge resistance and water fastness. Media and OEM development is subject to change.